

L Number	Hits	Search Text	DB	Time stamp
-	31	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (compress\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 12:33
-	30	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (compress\$4)) AND (report\$1 business)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 12:09
-	28	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (compress\$4)) AND (report\$1 business)) AND (merg\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 12:09
-	42	(denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 16:03
-	2	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (invert\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 12:44
-	4	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (separate NEAR4 file\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 12:44
-	227	(denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 (data table\$1 field\$1 database\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:27
-	48	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 (data table\$1 field\$1 database\$1)) AND (invert\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:30
-	3	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 (data table\$1 field\$1 database\$1)) AND (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:34
-	4	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 (data table\$1 field\$1 database\$1)) AND (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:59
-	18	5852819.URPN.	USPAT	2003/04/29 13:55
-	2	5852819.URPN. AND (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:01
-	2906	(separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:01
-	1089	(stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:19
-	3	(denormaliz\$6 (de ADJ1 normaliz\$6)) AND ((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:02
-	295	((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1)))) AND report\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:18

-	32	((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1))) AND report\$1) AND distribut\$4 AND merg\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:08
-	2	5852819.pn. AND field\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:08
-	86	((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1))) AND report\$1) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:18
-	38	(stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 16:04
-	7	((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1)))) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:20
-	23237	(transmit\$4 NEAR4 (field column))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 16:03
-	2	((transmit\$4 NEAR4 (field column))) AND (denormaliz\$6 (de ADJ1 normaliz\$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 16:04
-	38	(stor\$3 NEAR20 ((separat\$3 each) NEAR6 file\$1 NEAR6 (field\$1 column\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 16:05
-	0	(stor\$3 NEAR20 ((each) NEAR6 file\$1 NEAR6 (field\$1 column\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 16:05
-	1958	(stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 16:05
-	431	((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 16:06
-	40	((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND 707/\$.ccls.) AND (parallel NEAR4 process\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 16:10
-	73	(parallel NEAR4 process\$3) AND 707/\$.ccls. AND ((column field) NEAR4 file)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 16:39
-	2216	invert\$3 NEAR4 table\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:45
-	2	(invert\$3 NEAR4 table\$1) AND (denormaliz\$7 de-normaliz\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:05
-	37	(invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 09:54

-	80	(invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3 (column\$1 field\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:05
-	350	(stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:07
-	8	((stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)) AND (denormaliz\$7 de-normaliz\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:05
-	45	707/\$.ccls. AND (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:23
-	18	709/\$.ccls. AND (stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:34
-	601	column NEAR2 file	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:34
-	39	column NEAR2 file NEAR2 stor\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:44
-	10	((invert\$3 NEAR3 table\$1) NEAR4 file\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:44
-	1	(invert\$3 NEAR4 table\$1) SAME (separat\$3 NEAR2 file\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:46
-	2	5852819.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 14:46
-	6	("5343554" "5497334" "5596494" "5600844" "5680557" "5689431").PN.	USPAT	2003/07/09 14:31
-	20	5852819.URPN.	USPAT	2003/07/09 14:32
-	2266	(row\$1 record\$1 tuple\$1) SAME (field\$1 column\$1 attribute\$1) SAME (table\$1) SAME file\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 14:47
-	1228	(row\$1 record\$1 tuple\$1) SAME (field\$1 column\$1 attribute\$1) SAME (table\$1) WITH file\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 14:48
-	35	((row\$1 record\$1 tuple\$1) SAME (field\$1 column\$1 attribute\$1) SAME (table\$1) SAME file\$1) AND olap	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 14:48
-	335	olap	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 15:22
-	20	olap AND (distribut\$4 NEAR2 processing\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 15:25

-	5	(olap AND (distribut\$4 NEAR2 processing\$1)) AND partition\$4 AND merg\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 15:23
-	48	olap AND (distribut\$4 NEAR2 (process\$4 server\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 15:34
-	34	707/10.ccls. AND olap	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 15:39
-	3	olap AND (distribut\$4 NEAR8 merg\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 15:44
-	0	20020040639.pn. AND cds	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 15:44
-	1	20020040639.pn. AND cds	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 15:45
-	3329	set NEAR2 server\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 15:45
-	249	(set NEAR2 server\$1) AND 707/10.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 15:46
-	53	((set NEAR2 server\$1) AND 707/10.ccls.) AND merg\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 17:11
-	2009	application\$1 NEAR1 controller\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 17:11
-	777	application ADJ1 controller\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 17:11
-	0	(application ADJ1 controller\$1) AND olap	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 17:11
-	3	(application ADJ1 controller\$1) AND 707/10.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 17:12
-	11	(application ADJ1 controller\$1) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 17:13
-	512	application ADJ1 controller\$1	USPAT	2003/07/10 17:13
-	67	(application ADJ1 controller\$1) AND database\$1	USPAT	2003/07/10 17:13
-	1472	(database storage) NEAR2 (centraliz\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:07

-	5	((database storage) NEAR2 (centraliz\$5)) AND (distribut\$4 WITH data WITH server\$1)) AND (server\$1 WITH merg\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 14:56
-	41	((database storage) NEAR2 (centraliz\$5)) AND (distribut\$4 WITH data WITH server\$1)) AND (load\$3 WITH data WITH server\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:02
-	8	((database storage) NEAR2 (centraliz\$5)) AND (distribut\$4 WITH data WITH server\$1)) AND (olap mining\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:04
-	130	((database storage) NEAR2 (centraliz\$5)) AND (distribut\$4 WITH data WITH server\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:04
-	358	((database storage repository) NEAR2 (centraliz\$5)).ti,ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:58
-	10	((database storage repository) NEAR2 (centraliz\$5)).ti,ab.) AND (parallel NEAR2 (process\$3 server\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:07
-	152	((database storage repository) NEAR2 (centraliz\$5)) AND (parallel NEAR2 (process\$3 server\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:11
-	2	5974411.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:18
-	1	5974411.pn. AND encod\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:20
-	492	parallel NEAR2 server\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:58
-	105	(parallel NEAR2 server\$1) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:27
-	31	(parallel NEAR2 server\$1) AND (olap (data ADJ1 min\$4) (data NEAR2 analysis))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:31
-	0	CLAREOS.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:31
-	3	((database storage repository) NEAR2 (centraliz\$5)) AND (parallel NEAR2 servers)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:58
-	147	parallel NEAR2 servers	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 15:59
-	5	("5546570" "5850547" "6081801" "6275818" "6289334").PN.	USPAT	2003/07/11 16:01
-	6	("5581753" "5586310" "5664170" "5963945" "6009427" "6330560").PN.	USPAT	2003/07/11 16:10

-	1	(denormaliz\$6 (de ADJ1 normaliz\$6)) AND 5852819.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 12:34
-	761	(denormaliz\$6 (de ADJ1 normaliz\$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 13:38
-	76	((denormaliz\$6 (de ADJ1 normaliz\$6))) AND 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 12:34
-	147	((denormaliz\$6 (de ADJ1 normaliz\$6))) AND (parallel NEAR2 (process\$3 server\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 13:39
-	3	((denormaliz\$6 (de ADJ1 normaliz\$6))) AND (parallel NEAR2 (process\$3 server\$1))) AND (determin\$6 NEAR4 number\$1 NEAR4 server\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 13:40
-	33	(determin\$6 NEAR4 number\$1 NEAR4 server\$1) AND (parallel NEAR2 (process\$3 server\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 13:55
-	2111	determin\$6 NEAR2 partition\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 13:56
-	0	(determin\$6 NEAR2 partition\$5) SAME (parallel NEAR2 server\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 13:57
-	1	(determin\$6 NEAR2 partition\$5) SAME (parallel NEAR4 server\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 14:01
-	103	((determin\$5 analy\$4) NEAR4 (partition\$4 NEAR2 value\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 14:02
-	2	((((determin\$5 analy\$4) NEAR4 (partition\$4 NEAR2 value\$1))) AND parallel) AND (olap mining mine)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 14:02
-	40	((((determin\$5 analy\$4) NEAR4 (partition\$4 NEAR2 value\$1))) AND parallel	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 14:06
-	122	((determin\$4 identif\$4) NEAR4 (partition\$4 NEAR2 value\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 14:58
-	24	(partition\$4) SAME (categorical)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 14:58